

WELLBALANCE



SCRATCH
GUARD
UP TO 10x MORE SCRATCH RESISTANT

UNICLIC®
MULTIFIT
PATENTED TECHNOLOGY




QUICK-STEP®
FLOOR DESIGNERS

TABLE OF CONTENTS




03

Bal-Click-Vintage Chestnut Natural
QS-BACL40029



04

Bal-Click-Canyon Oak Light Brown
with Saw Cuts
QS-BACL40031




05

Bal-Click - Silk Oak Light
QS-BACL40052




06

Bal - Click - Canyon Oak Dark
Brown with Saw Cuts
QS-BACL40059



07

Bal - Click - Silk Oak Dark Grey
QS-BACL40060



13

Bal - Click - Canyon Oak Beige
QS- BACL40038



14

Bal-Click Plus-Victorian Oak Natural
QS-BACP40156



15

Bal - Click Plus - Vintage Chestnut
Natural
QS-BACP40029



16

Bal - Click Plus - Canyon Oak Light
Brown with Saw Cuts
QS-BACP40128



17

Bal-Click Canyon Oak Dark
Brown with Saw Cuts
QS-BACP40059




08

Bal - Click - Canyon Oak Light
Brown with Saw Cuts
QS-BACL40128



09

Bal-Click-Victorian Oak Natural
QS-BACL40156




10

Bal-Click-Velvet Oak Sand
QS-BACL40159



11

Bal-Click Plus-Silk Oak Dark Grey
QS-BACP40060




12

Bal-Click-Velvet Oak Sand
QS-BACP40159




18

Bal - Click Plus - Cottage Oak
Brown Grey
QS-BACP40157



19

Bal - Click Plus - Velvet Oak Light
BACP40026




20

Bal - Click Plus - History Oak Grey
BACP40037



21

Bal-Click Canyon Oak Beige
QS-BACP40038



QUICK-STEP
FLOOR DESIGNERS

LIVYN

BALANCE



1251x187x4.5mm

QS-BACL40029

Bal - Click - Vintage Chestnut Natural

The Balance collection combines rustic and modern designs in waterproof, standard-sized planks fit for endless installation possibilities. It features floors with both sleek, elegant surfaces as well as intense, heavy-grained wood structures.

Features & benefits

Uniclic Multifit Click System

Compatible with floor heating

Water resistant

Scratch & Stain Guard: Sealed top layer with Stain and

Scratch Guard technology.



QUICK-STEP
FLOOR DESIGNERS

LIVYN

BALANCE



1251x187x4.5mm

QS-BACL40131

Bal-Click-Canyon Oak light Brown with Saw Cuts

Canyon Oak light Brown with Saw Cuts is designed to look like a natural wooden floor with its deep grain textures and pattern. The Livyn range is soft to the touch and warm underfoot - making it ideal throughout the home. The Canyon Oak light Brown with Saw Cuts flooring is highly water-resistant, is suitable for underfloor heating, is hard-wearing. This flooring is installed by floating it over an underlay and with its built-in click system, there's no need for a hammer or tapping block, making installation quick and easy.



QUICK-STEP
LIVYN


BALANCE



Bal - Click - Silk Oak Light

Oak Light is crafted to mimic the appearance of natural wood, featuring rich grain textures and patterns. The Livyn collection offers a soft, comfortable feel and warmth underfoot, making it perfect for every room in the house. With excellent water resistance, compatibility with underfloor heating, durability, this flooring is built to last. It is easily installed by floating it over an underlay, and thanks to its integrated click system, no hammer or tapping block is required, ensuring a quick and simple installation process.

QS-Livyn-Balance | 05



QUICK-STEP
LIVYN


BALANCE



Bal - Click - Canyon Oak Dark Brown with Saw Cuts

Blanc Canyon Oak Dark Brown with Saw Cuts is designed to replicate the look of natural wood, featuring deep grain textures and intricate patterns. Part of the Livyn collection, it offers a soft feel and warmth underfoot, making it perfect for every room in the home. This flooring is highly water-resistant, compatible with underfloor heating, and durable. Installation is simple, as it floats over an underlay, and with its integrated click system, there's no need for a hammer or tapping block, ensuring a fast and easy setup.

QS-Livyn-Balance | 06



QUICK-STEP
FLOOR DESIGNERS

LIVYN

BALANCE



1251x187x4.5mm

QS-BACL40060

Bal - Click - Silk Oak Dark Grey

Balance Silk Oak Dark Grey combines the timeless beauty of wood with a modern, textured finish. The flooring offers a soft, comfortable feel and warmth underfoot, making it a perfect choice for any room in the home. Highly water-resistant and compatible with underfloor heating, this durable flooring is designed to withstand daily use. With its easy-to-install click system, you can quickly lay the planks over an underlayer without the need for special tools, ensuring a smooth and efficient installation process.

07

QS-Livyn-Balance



QUICK-STEP
FLOOR DESIGNERS

LIVYN

BALANCE



1251x187x4.5mm


QS-BACL40128

Bal - Click - Canyon Oak Light Brown with Scav Cuts

Canyon Oak Light Brown with Scav Cuts offers a striking wood-look design, featuring authentic grain textures and a charming, rustic pattern. The LIVYN collection is known for its soft, comfortable surface and warmth underfoot, making it a perfect fit for every room. This Canyon Oak flooring is exceptionally water-resistant, durable, and suitable for use with underfloor heating. The innovative click system allows for easy floating installation over an underlayer, eliminating the need for tools like a hammer or tapping block, making setup quick and simple.

08

QS-Livyn-Balance



BALANCE



1251x187x4.5mm

QS-BACL40156

Bal - Click - Victorian Oak Natural

Victorian Oak Natural brings the charm of authentic wood into your space with rich grain details and a refined, stylish design. Part of the Livyn collection, this flooring offers a cozy, cushioned feel that adds warmth and comfort to any room. Built to withstand moisture and everyday wear, it's also suitable for use with underfloor heating. Thanks to its smart click-lock system, installation is fast and tool-free—just lay it over an underlay and you're good to go, no hammers or tapping blocks needed.



BALANCE





1251x187x4.5mm

QS-BAC11459

Bal - Click - Velvet Oak Sand

Velvet Oak Sand brings the timeless charm of real wood to your space, featuring rich grain detailing and a refined design. Part of the Livyn collection, it offers a cushioned, cozy feel that enhances the warmth and comfort of any room. Engineered for everyday life, this flooring is highly resistant to water, compatible with underfloor heating, and built to last. Thanks to its easy click-fit system and floating installation over underlays, you can lay down quickly and cleanly—no tools or extra fuss required.



BALANCE



1251x187x4.5mm

QS-BACP40060

Bal - Click Plus - Silk Oak Dark Grey

Balance Silk Oak Dark Grey blends the classic appeal of wood with a contemporary, textured finish. The flooring provides a soft, cushioned feel and warmth underfoot, making it ideal for any room in the home. Its high water resistance and compatibility with underfloor heating ensure durability and long-lasting performance. The click installation system allows for quick, tool-free setup, so you can easily lay the planks over an underlay for a seamless and efficient installation.



BALANCE




1251x187x4.5mm

QS-BACP1059

Bal - Click Plus - Velvet Oak Sand

Velvet Oak Sand captures the natural beauty of raw wood, showcasing intricate grain patterns and a lifelike texture. As part of the Livyn range, it delivers a soft, comfortable feel underfoot—ideal for any living space. Built to withstand daily wear, this flooring is water-resistant, durable, and suitable for use with underfloor heating. Thanks to its innovative floating click system, installation is fast and simple, with no need for extra tools like hammers or tapping blocks.



QUICK-STEP
FLOOR DESIGNERS

LIVYN

BALANCE



1251x187x4.5mm

QS-BACL40038

Bal - Click - Canyon Oak Beige

Canyon Oak Beige brings the sophisticated appeal of natural wood into your home, with authentic grain textures and a lifelike finish. As part of Quick-Step's premium vinyl range, it delivers a soft, warm feel underfoot—ideal for any room, from living areas to bathrooms. Built to handle moisture, daily wear, and underfloor heating, this floor is as practical as it is stylish. The smart click system makes installation effortless—no special tools needed—so you can achieve a flawless look without the hassle.

QS-Livyn-Balance | 13



QUICK-STEP
FLOOR DESIGNERS

LIVYN

BALANCE




1251x187x4.5mm

QS-BACL40156

Bal - Click Plus - Victorian Oak Natural

Victorian Oak Natural captures the timeless charm of classic oak flooring, featuring authentic wood textures and a natural, elegant finish. Part of the high-quality Click Plus collection, this vinyl flooring offers a soft, cushioned feel underfoot, bringing warmth and comfort to any space. Designed for durability, it's water-resistant, long-lasting, and fully compatible with underfloor heating systems. Thanks to its advanced click-fit mechanism, installation is quick and straightforward—no need for hammers or clipping blocks—making it easy to achieve a seamless, professional look.

QS-Livyn-Balance | 14



BALANCE



1251x187x4.5mm

QS-BACP40029

Bal - Click Plus - Vintage Chestnut Natural

Vintage Chestnut Natural captures the authentic appearance of wood with its rich grain and intricate pattern. The Livyn collection offers a soft, cozy feel underfoot, making it perfect for any room in the home. This flooring is exceptionally water-resistant, durable, and compatible with underfloor heating. Installation is a breeze thanks to the innovative click system, which allows the planks to float over an underlayer without the need for a hammer or tapping block, making the setup process fast and straightforward.



BALANCE




1251x187x4.5mm

QS-BACP40228

Bal - Click Plus - Canyon Oak Light Brown with Saw Cuts

Canyon Oak Light Brown with Saw Cuts brings a bold, wood-inspired aesthetic to your space with its genuine grain texture and rustic charm. Known for its soft, cushioned feel and warmth underfoot, the Livyn range is ideal for any room in the home. This Canyon Oak flooring is designed to withstand water and wear, and it's also compatible with underfloor heating systems. Thanks to its advanced click system, installation is effortless—just float the planks over an underlayer without requiring any tools like hammers or tapping blocks, ensuring a smooth and easy setup.



BALANCE



1251x187x4.5mm


QS-BACP40059

Bal - Click - Canyon Oak Dark Brown with Saw Cuts

The Canyon Oak Dark Brown with Saw Cuts from Quick-Step Livyn Balance offers the authentic look of natural wood with rich textures and intricate patterns. This Livyn collection is not only soft and inviting underfoot, but also provides warmth throughout your home. Known for its impressive water resistance, it is perfect for areas prone to moisture. This durable flooring is compatible with underfloor heating and features a hassle-free floating installation method with a built-in click system, requiring no tools like hammers or tapping blocks, ensuring a smooth and fast setup process.

17

QS-Livyn-Balance



BALANCE

1251x187x4.5mm


QS-ANCP4026

Bal - Click Plus - Cottage Oak Brown Grey

Cottage Oak Brown Grey brings the charm of natural wood into your home with its beautifully textured grain and sophisticated pattern. The Livyn collection is known for its softness and warmth underfoot, creating a comfortable atmosphere in any room. Cottage Oak Brown Grey is highly water-resistant, durable, and compatible with underfloor heating systems. Thanks to the innovative click system, installation is quick and easy—simply float the planks over an underlay without the need for tools like hammers or tapping blocks, making the setup process effortless.

18

QS-Livyn-Balance



QUICK-STEP
FLOOR DESIGNERS

LIVYN

BALANCE




QS-BACP40157

Bal - Click Plus - Velvet Oak Light

Velvet Oak Light offers the timeless beauty of natural wood with its rich grain texture and realistic pattern. Part of the Livyn collection, it provides a soft, comfortable feel underfoot, making it perfect for any room in your home. Velvet Oak Light is highly resistant to water, durable, and compatible with underfloor heating. Its clever click system allows for simple installation by floating it over an underlay, eliminating the need for tools like hammers or tapping blocks, ensuring a hassle-free and quick setup.

QS-Livyn-Balance | 19



QUICK-STEP
FLOOR DESIGNERS

LIVYN

BALANCE





QS-ANCP40157

Bal - Click Plus- History Oak Grey

History Oak Grey combines the classic beauty of oak with a contemporary grey hue, featuring intricate grain details for an authentic wood-like appearance. Known for its softness and comfort underfoot, the Livyn collection is ideal for enhancing any living space. The History Oak Grey flooring is highly water-resistant, durable, and compatible with underfloor heating. Its innovative click system makes installation straightforward—simply float the planks over an underlay without needing additional tools, ensuring a fast and easy setup.

QS-Livyn-Balance | 20



BALANCE Click (187x1251x4.5mm)	1 box = 9.25 m ²	unilin
BALANCE glue + (194x1256x5.2mm)	1 box = 15.59 m ²	-
BALANCE		
BALANCE CLICK	BALANCE CLICK +	BALANCE GLUE +
FACTORY WARRANTY		
Usage class	EN 16511:2014	Class 32
	ISO 10582	Class 33
CE / UKCA	EN 14041:2004 / AC:2006	DOP: end label on pack
Warranty	Residential use	20 years
(See installation instructions)	Commercial use	0 years - on request up to 10 years
GENERAL DATA		
Wear resistance	EN 13329 Annex E	≥ 1200 cycles
Impact resistance	EN 13329 Annex F	1800 mm
Scratch resistance	EN 16094	MSR-A1
		MSR-B2
Castor chairs	EN 425 - 25000 cycles	No delamination, no disturbance
Displacement of furniture feet	EN 424 - Foot 0.1mm / 32 kg	No visible damage
Residual Indentation	EN ISO 24343-1	0.05 mm
Resistance against staining	EN 438-2 - Acetone - Coffee - NaOH - H2O2 - Shoe Polish	Grade 5, no change
Swelling	ISO 24336	No swelling
Locking strength	ISO 24334 - Fmax long side	2.0 kN/m
	ISO 24334 - Fmax short side	2.5 kN/m
Dimensional stability	ISO 23999 - 6 hrs at 80°C	< 10.10%
	ISO 23999 - Cupping	< 1 mm
Fire classification	EN 13501-1	Bfl-s1
UV resistance	ISO 105 B02 - Blue reference	Class 8
Slip resistance	EN 13893	DS
DIN 51130:2014 / XP P05-011		R10 / PC10
With Shoes		R10 / PC10
DIN 51097:1992 / XP P05-011		Class B / PN18
Barefoot		Class B / PN18
BS7976-2:2002+A1:2013		PTV value ≥ 42 Low slip potential
- Wet		PTV value ≥ 42 Low slip potential
- Dry		PTV value ≥ 60 Low slip potential
ENV 12633:2003 - Annex A		Class 2
Thermal resistance	EN 12667	Class 2
- Without Quick-Step underlay		0,020 m ² K/W
- On a Quick-Step COMFORT underlay		0,040 m ² K/W
- On a Quick-Step TRANSIT underlay		0,065 m ² K/W
- On a Quick-Step HEAT underlay		0,030 m ² K/W
Floor heating		Appropriate for all standard heating systems. IN cement flooring. Limited application with heating films and alternatives. Max contact temp ≤ 27°C. See separate installation instructions.
ENVIRONMENT & CERTIFICATES		
Floorscore		SCS-F-0568
Formaldehyde emission	EN 14041:2004 / AC:2006	No added formaldehyde in product
TVOC 28 days	ISO 16000 part 9-6	< detection limit
Content	AgBB requirement after 28 days	< 1000 µg/m ³
DANGEROUS SUBSTANCES	Heavy metals+ lead/cadmium	< 20 µg/m ³
REACH	Regulation (EC) No 1907/2006	N/OT present
Plasticizer	Ortho-phthalate free plasticizer	Compliant
Recycled content	Only INTERNAL recycled material used	





LIVYN | BALANCE



Quick-Step® is a quality product produced by UNILIN bvba – division Flooring, Ooigemstraat 3, B-8710 Wielbeke, Belgium, Europe. Product images may differ from actual product. The availability of products, or the products themselves, may change at any time without notice. Content © 2024-2025 by UNILIN bvba – division Flooring. All rights reserved. The contents of this brochure may not be reproduced in whole or in part without prior written permission from the publisher. 019 115 01 - Z4B - EN.

Coverphoto: SIG4754

FOLLOW US ON

www.facebook.com/QuickStepFloors

www.youtube.com/quickstepfloor

www.pinterest.com/quickstepfloor

@QuickStepFloor

EXCLUSIVE DISTRIBUTOR:

FLOORWORLD™
THE BIGGEST FLOORING COMPANY IN THE MIDDLE EAST